

Features

- MLB-A/P series covers a wide range of impedance characteristics. Designed to prevent electromagnetic interference.

- Packing Quantity: 4000 chips per reel



- Dimension:

A: 2.0 ± 0.20 mm

B: 1.2 ± 0.20 mm

C: 0.9 ± 0.20 mm

D: 0.5 ± 0.30 mm



MLB-201209-A/P Series

Part No.	Impedance (Ω) at 100MHz	DC Resistance (Ω) Max.	Rated Current (mA Max.)	Size-Code
A-Series				0805
Tolerance $\pm 25\%$				
MLB-201209-0010A-N1	10	0.1	600	
MLB-201209-0017A-N2	17	0.1	600	
MLB-201209-0030A-N1	30	0.1	500	
MLB-201209-0080A-N4	80	0.3	400	
MLB-201209-0120A-N1	120	0.3	300	
MLB-201209-0120A-N2	120	0.3	300	
MLB-201209-0120A-N4	120	0.3	300	
MLB-201209-0150A-N1	150	0.3	300	
MLB-201209-0220A-N4	220	0.5	250	
MLB-201209-0300A-N1	300	0.5	250	
MLB-201209-0400A-N2	400	0.5	250	
MLB-201209-0600A-N1	600	0.6	200	
MLB-201209-0600A-N2	600	0.6	200	
MLB-201209-0600A-N4	600	0.6	200	
MLB-201209-1000A-N4	1000	0.8	100	
MLB-201209-1200A-N4	1200	0.8	100	
MLB-201209-1500A-N4	1500	1.0	100	
MLB-201209-2000A-N4	2000	1.0	100	
MLB-201209-2200A-N4	2200	1.0	100	
MLB-201209-2700A-N4	2700	1.5	100	
P-Series				
MLB-201209-0010P-N1	10	0.01	6000	
MLB-201209-0020P-N1	20	0.03	4000	
MLB-201209-0030P-N1	30	0.03	4000	
MLB-201209-0040P-N1	40	0.03	4000	
MLB-201209-0080P-N2	80	0.04	3000	
MLB-201209-0120P-N2	120	0.04	3000	
MLB-201209-0220P-N2	220	0.04	3000	

